Application No. 10/037,297

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

- 1. (Currently Amended) A method of transmitting requests and content at a cache computer, wherein a first computer device and a second computer device are coupled to the cache computer and the first computer device requests content from the second computer device; the method comprising the steps of:
 - (a) receiving a cache request from the second computer device; and
- (b) receiving at the cache computer non-requested content from the second computer device, wherein the non-requested content is content other than content requested by the first computer device.
- 2. (Original) The method of claim 1, further including
 - (c) transmitting a cache invitation to the second computer device.
- 3. (Original) The method of claim 2, wherein the cache invitation is located within a header of a request for content.
- 4. (Original) The method of claim 1, wherein (a) comprises:
 - (d) receiving a request for cache memory space from the second computer.

- 5. (Curently Amended) The method of claim 4, wherein the request includes terms that have previously been agreed upon by the cache <u>computerserver</u> and the second computer device.
- 6. (Original) The method of claim 4, wherein the request comprise a fee for use of the cache memory space.
- 7. (Original) The method of claim 6, wherein the fee is a fee that will be paid by the second computer device.
- 8. (Original) The method of claim 4, wherein the request further includes a requested amount of cache memory space.
- 9. (Original) The method of claim 4, wherein the non-requested content comprises objects of a web page.
 - 10. (Original) The method of claim 1, further including:
 - (c) receiving at the cache computer the identification of non-requested content.
- 11. (Original) The method of claim 10, wherein the identification of non-requested content comprises memory addresses of non-requested content.
 - 12. (Original) The method of claim 10, in response to (c) further including:

- (e) requesting the non-requested content from the second computer
- 13. (Original) A method of transmitting content from a first computer device to a second computer device, wherein the first computer device and the second computer device are coupled to a cache computer device, the method comprising the steps of:
 - (a) receiving from the cache computer device, a request for content;
 - (b) transmitting to the cache computer device the requested content;
- (c) transmitting to the cache computer device a request for use of a cache memory; and
- (d) after accepting terms for the use of the cache memory, transmitting to the cache computer device non-requested content, wherein the non-requested is content other than content requested by the cache computer device.
- 14. (Original) The method of claim 13, wherein the cache computer device comprises an access router coupled to an access network.
- 15. (Original) The method of claim 13, wherein the request in (c) comprises a proposed fee for use of the cache memory.
 - 16 (Original) The method of claim 13, further including the steps of:
 - (e) determining when the first computer device updates the non-requested content; and
- (f) transmitting updated non-requested content to the second computer device when the first computer device updates the non-requested content.

- 17. (Original) The method of claim 13, wherein the request in (c) comprises a request for cache memory space.
- 18. (Original) The method of claim 13, wherein the request in step (c) comprises a time duration.
- 19. (Original) The method of claim 13, wherein the request in step (c) comprises a proposed fee.
 - 20. (Original) The method of claim 13, further including the steps of:
 - (e) receiving a denial in response to the request for the use of the cache memory;
 - (f) receiving proposed terms for use of the cache memory; and
- (g) transmitting to the first computer device an approval of the proposed trans for use of the cache memory.
- 21. (Original) The method of claim 13, wherein the request (c) is located within a header of the requested content.
 - 22. (Currently Amended) A computer-readable medium containing computer-executable instructions for causing a cache computer coupled to a first computer device and a second computer device to perform the steps comprising:
 - (a) receiving a cache request from the second computer device; and

- (b) receiving at the cache computer non-requested content from the second computer device, wherein the non-requested content is content other than content requested by the first computer device.
- 23. (Original) An access router coupled to a local computer and a website, the access router including a cache module configured to perform the steps comprising:
 - (a) receiving a cache request from the website; and
- (b) receiving non-requested content from the website, wherein the non-requested is content other than content requested by the local computer.